


## STEP: 1

**DO NOT CEMENT POSTS INTO PLACE  
UNTIL THE ENTIRE STRUCTURE IS  
ASSEMBLED.**

Refer to the General Installation  
guide footing information and dig  
proper holes for the support posts.




## STEP: 1

Refer to the General Installation Instructions footing section for information on climber footings.

The Craggy Climber Straight Section attaches on both ends. Each connection point uses seven (7) M8\*60 bolts, seven (7) M12 barrel nuts, seven (7) M12 washers, and seven (7) M8 washers.


**Hardware is pre-attached.**



# Get Physical Series – Standard Attachment Point Installation


## STEP: 1

Most components of a Get Physical series structure attach using this standard attachment point. Use three (3) M10\*25 bolts, six (6) M10 washers, and three (3) M10 lock nuts.




## STEP: 2

Each of these attachment points has a rubber cover to protect the bolts. Attach the cover and secure using the pre-attached M8\*40 bolt and M8 lock nut.



**STEP: 1**


Connect the two halves of the Swinging Rings Hub together using four (4) M8\*60 bolts and four (4) M8 lock nuts.



**STEP: 1**

The Singing Rings Hub will attach to the support posts via the Standard Attachment Points.

For detailed info see the Standard Attachment Point guide at the beginning of this document.




# Honey Comb Net Climber Install

## STEP: 1


The Honey Comb Net Climber will attach to the support posts via the Standard Attachment Points.

For detailed info see the Standard Attachment Point guide at the beginning of this document.



## STEP: 2

Connect the net to the outer frame using one (1) M10\*55 bolt, one (1) plastic spacer, and one (1) M10 lock nut for each attachment point. Please use the following diagram as reference.



## STEP: 1

Connect the Square Net Climber to the appropriate posts via the Standard Attachment Points. Please refer to the Standard Attachment Point Install section for more detailed information.




# Get Physical Series –Arch Rope Bridge Install

## STEP: 1

Connect Arch Rope Bridge to the appropriate posts, and mark ground for footing locations. The Arch Rope Bridge uses the Standard Attachment points to connect to the posts.


Connect the net to the outer frame using one (1) M10\*55 bolt, one (1) plastic spacer, and one (1) M10 lock nut for each attachment point.



# Saddle Slide Install


## STEP: 1

Refer to the General Installation guide footing information and dig proper holes for the support posts.



## STEP: 2

See general installation guide regarding footing information for the slide end mount. Using two (2) M8\*20, two (M8) spring washers. And two (2) M8 washers, attach the slide to the slide support post. Attach the slide to the support using two (2) M8\*20, two (M8) spring washers. And two (2) M8 washers.






## STEP: 1

Connect the bottom of the Zig Zag Challenge Bridge to the appropriate posts via the Standard Attachment Points.


Refer to the Standard Attachment Point install section for more detailed information.



## STEP: 2

Connect the top rail of the Zig Zag Challenge Bridge to the appropriate posts via the Standard Attachment Points.

Refer to the Standard Attachment Point install section for more detailed information.




### STEP: 3

There are vertical supports for the Zig Zag Challenge Bridge that connect the top rail to the bottom piece.



### STEP: 4

The vertical supports connect using one (1) M10\*55 bolt, two (2) M10 washers, one (1) plastic spacer, and one (1) M10 lock nut for each connection point.



# Get Physical Pebble Bridge Install

Connect the Pebble Bridge top rail to the appropriate posts via the Standard Attachment Point. Refer to the Standard Attachment Point install section for more detailed information. Dig suitable footings for each of the pebble steps. Please refer to the footing section for climbers in the General Installation Instructions document.

